

14 March 2014 Water/124WD

## Norit<sup>®</sup> GAC 1240 W

### **WHY CABOT**

Cabot Norit Activated Carbon is a premier activated carbon manufacturer respected for experienced people, diverse products and strong customer relationships. Cabot's history of innovation, product performance, technical expertise and customer focus ensure that you receive the right products and solutions for your specific purification needs.



Norit GAC 1240 W is a granular activated carbon, which is suitable in a wide range of applications such as purification of (potable) water and industrial process liquids. Norit GAC 1240 W is very suitable for removal of f.i. natural organics, pesticides, detergents, chlorinated solvents and compounds causing taste and odour problems. Norit GAC 1240 W is produced by steam activation of coal; its superior hardness makes it particularly suited for thermal reactivation.

Norit GAC 1240 W meets the requirements of the latest version of the U.S. Food Chemicals Codex and the Drinking Water Standard EN 12915 (European Normalisation, 2009).

SPECIFICATIONS			
lodine number	min. 950	-	
Particle size > 12 mesh (1.70 mm)	max. 10	mass-%	
Particle size < 40 mesh (0.425 mm)	max. 5	mass-%	
Moisture (as packed)	max. 5	mass-%	

GENERAL CHARACTERISTICS			
lodine number	975	-	
Methylene blue adsorption	20	g/100 g	
Total surface area (B.E.T.)	1100	m²/g	
Apparent density	500	kg/m³	
Density backwashed and drained	445	kg/m³	
Ball-pan hardness	97	-	
Effective Size D <sub>10</sub>	0.6-0.7	mm	
Uniformity coefficient	1.7	-	
Ash content	12	mass-%	
Water soluble Ash	0.1	mass-%	
рН	alkaline	-	
Dechlorination halving value	2.5	cm	



# Norit<sup>®</sup> GAC 1240 W

#### **NOTES**

- 1 All analyses based on Norit Standard Test Methods (NSTM)
- 2 Specifications are guaranteed values based on lot to lot quality control, as covered by Norit's ISO 9001 certification.
- 3 General characteristics reflect average values of product quality.
- 4 Detailed information on the hydrodynamic properties can be found in Technical Bulletin 79 Hydrodynamic Properties of Norit Granular Activated Carbon grades.
- 5 The superior hardness makes this product very suitable for thermal reactivation. Reactivation of exhausted carbon can be carried out in kilns on site or at one of Norit's facilities. The best option depends on the distance between client and nearest Norit facilities and on the amount of carbon to be reactivated per annum.
- 6 The level of floaters measured according to EN 12915 amounts to (1 mass-%. Under practical conditions a fraction of the carbon may wet slowly. Please refer to Norit Technical Bulletin 41B.

#### **PACKAGING**

### Norit<sup>®</sup> GAC 1240 W is available in:

- Multiply paper bags of 25 kg, 2 x 20 bags per pallet, shrink wrapped (1000 kg net weight per pallet)
- Bulk bags of 2 x 500 kg net weight on a pallet, shrink wrapped
- Bulk tank cars

Product availabilities depend on the type of packaging.



cabotcorp.com

NORTH AMERICA

Cahot Cornoration Business and Technical Center 157 Concord Road Billerica, MA 01821-7001 USA

TEL 800 462 2313 FAX +1 978 670 7035 SOUTH AMERICA

Cabot Latin American Division Rue do Paraiso, 148 - 5º ander 04103-000, Sao Paolo, SP BRAZIL

**TEL** +55 11 2144 6400 FAX +55 11 3253 0051

FUROPE

Cabot Norit Nederland B.V. P.O. Box 105 3800 AC Amersfoort The Netherlands

TEL +31 33 46 48 911 FAX +31 33 46 17 429 **ASIA PACIFIC** 

Cabot Regional Headquarters 558 Shuangbai Road Shanghai 201108, CHINA

TEL +86 21 5175 8800 FAX +86 21 6434 5532 1ΔΡΔΝ

Cahot Norit Japan K K Sumitomo Chiba-Daimon Ida, 3 F 2-5-5 Shiba Daimon, Minato-ku, Tokyo 105-0012, JAPAN

TEL +81 3 3434 6551 FAX +81 3 3434 6479

This information is provided as a convenience and for informational purposes only. No guarantee or warranty as to this information, or any product to which it relates, is given or implied. Cabot disclaims all warranties express or implied, including merchantability or fitness for a particular purpose as to (i) such information, (ii) any product or (iii) intellectual property infringement. In no event is Cabot responsible for, and Cabot does not accept and hereby disclaims liability for, any damages whatsoever in connection with the use of or reliance on this information or any product to which it relates.