

Cross Reference List of Equivalent Replacement Germicidal Ultraviolet Lamps

Atlantic Ultraviolet has many brands of germicidal ultraviolet lamps available besides it's own brand of Ster-L-Ray® lamps. Here is a sampling. Please call if you don't see what you need and/or for pricing and availability.



The information and recommendations contained in this publication are based upon data collected by the Atlantic Ultraviolet Corporation® and are believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. Specifications and information are subject to change without notice.

CAUTION: Exposure to direct or reflected germicidal ultraviolet rays will cause painful eye irritation and reddening of the skin. Personnel subject to such exposure must wear suitable faceshield, gloves and protective clothing.

Hg - LAMP CONTAINS MERCURY, manage in accord with disposal laws, see: www.lamprecycle.org.



Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

ATLANTIC ULTRAVIOLET (STER-L-RAY™)

A75	8	288 mm	05-1108-R
A250	18.4	384 mm	05-1339-R
A600	41	843 mm	05-1341-R
A2400	110	1149 mm	05-1312-R
BIO-1.5	14	287 mm	05-1366-R
BIO-3.0	21	436 mm	05-1370-R
DV75	8	288 mm	05-1108-R
DV250	18.4	384 mm	05-1339-R
DV600	41	843 mm	05-1341-R
M50	75	1554 mm	05-1313A-R
M90	75	1554 mm	05-1313A-R
M150	75	1554 mm	05-1313A-R
M250	75	1554 mm	05-1313A-R
MIN-1	10	212 mm	05-1119-R
MIN-1.5	14	287 mm	05-1366-R
MIN-3	14	287 mm	05-1366-R
MIN-6	21	436 mm	05-1370-R
MIN-9	30	620 mm	05-0097A-R
MP13	10	212 mm	05-1400-R
MP13A	10	212 mm	05-1400-R
MP16	14	287 mm	05-1098-R
MP16A	14	287 mm	05-1098-R
MP22	21	436 mm	05-1097-R
MP22A	21	436 mm	05-1097-R
MP36	38	793 mm	05-1116-R
MP36A	41	843 mm	05-1343-R
MP36B	41	843 mm	05-1343-R
MP36C	41	843 mm	05-1343-R
MP49	55	1148 mm	05-1334-R
MP49B	55	1148 mm	05-1334-R
MP49C	55	1148 mm	05-1334-R
S14	10	212 mm	05-1400-R
S14A	10	212 mm	05-1400-R
S17	14	287 mm	05-1098-R
S17A	14	287 mm	05-1098-R
S23	21	436 mm	05-1097-R
S23A	21	436 mm	05-1097-R
S37	38	793 mm	05-1116-R
S37A	41	843 mm	05-1343-R
S37B	41	843 mm	05-1343-R
S37C	41	843 mm	05-1343-R
S50	55	1148 mm	05-1334-R
S50B	55	1148 mm	05-1334-R
S50C	55	1148 mm	05-1334-R
S2400	110	1146 mm	05-1311-R
S2400B	110	1146 mm	05-1311-R
S2400C	110	1146 mm	05-1311-R
U4	17	357 mm	05-0640A
U7	17	357 mm	05-0640A
U9	22	450 mm	05-0641A
U15	39	810 mm	05-0642A

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

ABATEMENT TECHNOLOGIES

UV425	39	406 mm	05-0674
-------	----	--------	---------

ADVANCED UV, INC

AUV-S	41	843 mm	05-1343-R
7330SWA	41	843 mm	05-1343-R

AMERICAN ULTRAVIOLET CONTINUED ON PAGE 3

A2400	15	436 mm	05-1105-R
AP600	9	145 mm	05-0458
CE-10-2C	20	357 mm	05-1345-R
CE-10-2SL	17	357 mm	05-1346-R
CE-10-C	20	357 mm	05-1345-R
CE-10-SL	17	357 mm	05-1346-R
CE-15-2H	15	436 mm	05-1105-R
CE-20-2C	24	611 mm	05-1344-R
CE-20-C	24	611 mm	05-1344-R
CE-25-2H	25	436 mm	05-1107-R
CE-25-H	25	436 mm	05-1107-R
CE-30-2C	29	895 mm	05-1342A1-R
CE-30-2H	30	895 mm	05-1106-R
CE-30-C	29	865 mm	05-1342A1-R
CE-30-H	30	895 mm	05-1106-R
CE-36	41	843 mm	05-1343-R
CE-36-2	41	843 mm	05-1343-R
CE-5-H	15	436 mm	05-1105-R
DB36	41	843 mm	05-1343-R
DC14-2	30	406 mm	05-3220
DC14-4	30	406 mm	05-3220
DC16-2	30	406 mm	05-3221
DC16-4	30	406 mm	05-3221
DC24-2	60	610 mm	05-3222
DC24-4	60	610 mm	05-3222
DC33-2	80	843 mm	05-3223
DC33-4	80	843 mm	05-3223
DC45-2	100	1148 mm	05-3224
DC45-4	100	1148 mm	05-3224
GML005	41	843 mm	05-1343-R
GML010	29	865 mm	05-1342A1-R
GML015	75	1554 mm	05-1338A-R
GML020	20	357 mm	05-1345-R
GML025	24	611 mm	05-1344-R
GML040	29	865 mm	05-1204A1-R
GML060	17	357 mm	05-1346-R
GML070	17	357 mm	05-1347
GML080	25.6	538 mm	05-1348-R
GML090	41	843 mm	05-1341-R
GML095	42	868 mm	05-1336A-R
GML100	41	843 mm	05-1382-R
GML120	20	357 mm	05-0093-R
GML140	75	1554 mm	05-1337-R
GML180	4	136 mm	05-1110-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

AMERICAN ULTRAVIOLET CONTINUED FROM PAGE 2

GML195	6	212 mm	05-1109-R
GML205	8	288 mm	05-1108-R
GML210	15	436 mm	05-1105-R
GML215	25	436 mm	05-1107-R
GML220	30	895 mm	05-1106-R
GML270	75	1554 mm	05-1017A-R
GML290	24	611 mm	05-0094
GML325	26	619 mm	05-1527-R
GML350	17	357 mm	05-0378-R
GML365	25.6	538 mm	05-0117
GML370	9	145 mm	05-0458
GML410	30	406 mm	05-3220
GML415	60	610 mm	05-3222
GML420	80	843 mm	05-3223
GML425	90	1148 mm	05-0630
GML425T	90	1148 mm	05-2609
GML430	30	406 mm	05-3221
GML445	100	1148 mm	05-3224
GML1234T	87	874 mm	05-2611
GML1240T	88	1026 mm	05-2610
GR-10-SL	17	357 mm	05-1346-R
MRS3684P	41	843 mm	05-1382-R
RM-9U-105	9	145 mm	05-0458
RPT405T	87	843 mm	05-2612
RT-2G/2CWE	41	843 mm	05-1343-R
RT2G2CW27M	41	843 mm	05-1343-R
RT2GSCW277	41	843 mm	05-1343-R
RT-36-2GE	41	843 mm	05-1343-R
RT-36-2GM	41	843 mm	05-1343-R
RT-36-4GE	41	843 mm	05-1343-R
RT-36-4GM	41	843 mm	05-1343-R
SC-1	41	843 mm	05-1343-R
SM-10-2C	20	357 mm	05-1345-R
SM-10-SL	17	357 mm	05-1346-R
SM-15-H	15	436 mm	05-1105-R
SM-20-2C	24	611 mm	05-1344-R
SM-25-H	25	436 mm	05-1107-R
SM-30-2C	29	865 mm	05-1342A1-R
SM-30-H	30	895 mm	05-1106-R
SM36(L)	41	843 mm	05-1343-R
TB12W	17	357 mm	05-1346-R
TB-24-W	26	619 mm	05-1527-R
TB-36-W	41	843 mm	05-1343-R
TTG-64	75	1554 mm	05-1338A-R
UF-10-SL	17	357 mm	05-1346-R
UFA-10-SL	17	357 mm	05-1346-R
UFA-25(H)	25	436 mm	05-1107-R
WM-25(H)	25	436 mm	05-1107-R
WM-36(L)	41	843 mm	05-1343-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

AMILAIR (EZ AIR CLEANERS)

BE18	18	220 mm	05-0323-R
BE18TWIN	18	220 mm	05-0323-R
BE36	36	410 mm	05-0678
BE36TWIN	36	410 mm	05-0678

APRILAIRE (RESEARCH PRODUCTS CORPORATION)

90	48	436 mm	05-0331-R
1910	48	436 mm	05-0331-R
1930	48	436 mm	05-0331-R
1076R	48	436 mm	05-0331-R
87N77	48	436 mm	05-0331-R

AQUA MEDIC (Helix Max)

80805	5	83 mm	05-0469
-------	---	-------	---------

AQUA ULTRAVIOLET (UV)

8 watt	8	287 mm	05-3228
8 watt adv	8	212 mm	05-3229
15 watt	15	287 mm	05-3230
15 watt adv	15	212 mm	05-3231
25 watt	25	436 mm	05-3232
40 watt	40	843 mm	05-3233
57 watt	57	436 mm	05-3234
65 Watt	65	1554 mm	05-0442
100 watt	100	678 mm	05-3235
200 watt	200	1120 mm	05-3236

AQUAFINE CONTINUED ON PAGE 4

3010	8	288 mm	05-1108-R
3011	14	287 mm	05-1098-R
3015	14	287 mm	05-1053-R
3050	17	357 mm	05-1346-R
3052	17	357 mm	05-1347
3070	32	691 mm	05-1352-R
3084	41	843 mm	05-1343-R
3087	41	843 mm	05-1341-R
3095	75	1554 mm	05-1337-R
3098	75	1554 mm	05-1338A-R
16676 (Validated)	41	843 mm	05-1343-RV
16677 (Validated)	75	1554 mm	05-1338A-RV
16678 (Validated)	41	843 mm	05-1341-RV
16679 (Validated)	75	1554 mm	05-1337-RV
16714 (Validated)	17	357 mm	05-1346-RV
16715 (Validated)	17	357 mm	05-1347V
17491	41	843 mm	05-0453-R
17498	75	1554 mm	05-0527
17820	155	1554 mm	05-0525
17998	75	1554 mm	05-0492
18024	155	1567 mm	05-0617
18060	75	1554 mm	05-0492
18061	75	1554 mm	05-0527
18063	41	843 mm	05-0716

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

AQUAFINE CONTINUED FROM PAGE 3

18197	87	856 mm	05-0618
18198	87	856 mm	05-0619
18977-3	41	843 mm	05-0716
18977-4	75	1554 mm	05-0527
18977-11	155	1567mm	05-0616
Cream-L (Validated)	155	1567mm	05-0616V
CSL/60	75	1554 mm	05-1337-R
CSL/60	75	1554 mm	05-1338A-R
CSL-4R-TOC	41	843 mm	05-1341-R
DW8	41	843 mm	05-1343-R
DW100	32	691 mm	05-1352-R
DW300	17	357 mm	05-1346-R
DW400	41	843 mm	05-1343-R
Gold-L	155	1567mm	05-0616
MP2SL	41	843 mm	05-1343-R
MP2SL	41	843 mm	05-1341-R
Optima 150	87	856 mm	05-0619
Optima 630	155	1554 mm	05-0525
RBE/60	75	1554 mm	05-1337-R
RBE/60	75	1554 mm	05-1338A-R
SL1	41	843 mm	05-1343-R
SL1	41	843 mm	05-1341-R
SL-10A	17	357 mm	05-1346-R
SP1	8	288 mm	05-1108-R
SP2	14	287 mm	05-1098-R

AQUANETICS COLUMN (1)

15IL	15	436 mm	05-1105-R
25IL	25	436 mm	05-1107-R
30IL	30	895 mm	05-1106-R
60IL	30	895 mm	05-1106-R
90IL	30	895 mm	05-1106-R
120IL	30	895 mm	05-1106-R
240IL	30	895 mm	05-1106-R
360IL	30	895 mm	05-1106-R
480IL	30	895 mm	05-1106-R
600IL	30	895 mm	05-1106-R
720IL	30	895 mm	05-1106-R
960IL	30	895 mm	05-1106-R
50ILD	25	436 mm	05-1107-R
15SPT	15	436 mm	05-1105-R
25SPT	25	436 mm	05-1107-R
ALA-4	4	136 mm	05-1110-R
ALA-8	8	288 mm	05-1108-R
ALA-15	15	436 mm	05-1105-R
ALA-25	25	436 mm	05-1107-R
ALA-30	30	895 mm	05-1106-R
Aquanetics 4	4	136 mm	05-1110-R
Aquanetics 6	6	212 mm	05-1109-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

AQUANETICS COLUMN (II)

Aquanetics 8	8	288 mm	05-1108-R
Aquanetics 15	15	436 mm	05-1105-R
Aquanetics 25	25	436 mm	05-1107-R
Aquanetics 30	30	895 mm	05-1106-R
PQ15IL	15	436 mm	05-1105-R
PQ25IL	25	436 mm	05-1107-R
PQ30IL	30	895 mm	05-1106-R
PQ60IL	30	895 mm	05-1106-R
PQ8IL	8	288 mm	05-1108-R
PQ90IL	30	895 mm	05-1106-R
PQ120IL	30	895 mm	05-1106-R
PQ180IL	30	895 mm	05-1106-R
PQ240IL	30	895 mm	05-1106-R
PQ300IL	30	895 mm	05-1106-R
PQ360IL	30	895 mm	05-1106-R
PQW120IL	30	895 mm	05-1106-R
PW30ILD	15	436 mm	05-1105-R
Q4IL	4	136 mm	05-1110-R
Q8IL	8	288 mm	05-1108-R
Q15IL	15	436 mm	05-1105-R
Q25IL	25	436 mm	05-1107-R
Q30IL	30	895 mm	05-1106-R
Q60IL	30	895 mm	05-1106-R
Q90IL	30	895 mm	05-1106-R
Q120IL	30	895 mm	05-1106-R
Q180IL	30	895 mm	05-1106-R
Q240IL	30	895 mm	05-1106-R
Q300IL	30	895 mm	05-1106-R
Q360IL	30	895 mm	05-1106-R
Q480IL	30	895 mm	05-1106-R
Q600IL	30	895 mm	05-1106-R
Q720IL	30	895 mm	05-1106-R
Q960IL	30	895 mm	05-1106-R
Q8ILHP	8	288 mm	05-1108-R
Q15ILHP	15	436 mm	05-1105-R
Q25ILHP	25	436 mm	05-1107-R
Q30ILD	15	436 mm	05-1105-R
Q50ILD	25	436 mm	05-1107-R
Q14L	8	288 mm	05-1108-R
Q4SPT	4	136 mm	05-1110-R
Q8SPT	8	288 mm	05-1108-R
Q15SPT	15	436 mm	05-1105-R
Q25SPT	25	436 mm	05-1107-R
QW120IL	30	895 mm	05-1106-R
W120IL	30	895 mm	05-1106-R

AQUA-PURE SYSTEMS

APUV-5	22	463 mm	05-0510
APUV-12	39	810 mm	05-0176-R
UVLB-1X	39	810 mm	05-0176-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

AQUA-STAR

Portable Water Purifier	4	136 mm	05-1110-R
-------------------------	---	--------	-----------

AQUAWINNER UV

S212T5	6	212 mm	05-1109-R
--------	---	--------	-----------

ATS (AQUA TREATMENT SERVICE)

ATS-1-805	17	357 mm	05-1346-R
ATS-2-436	21	436 mm	05-1097-R
ATS-2-457	22	456 mm	05-0261-R
ATS-2-3215	92	447 mm	05-2613
ATS-2-3231	140	687 mm	05-2614
ATS-2-3232	190	930 mm	05-2615
ATS-4-325	16.5	325 mm	05-0500
ATS-4-397	40	389 mm	05-2602
ATS-4-450	22	450 mm	05-0011-R
ATS-4-463R	22	463 mm	05-0510
ATS-4-525	40	525 mm	05-0501
ATS-4-810R	38	810 mm	05-0511
ATS-4-843R	40	843 mm	05-0512
ATS-4-875	84	875 mm	05-0502
ATS-8-246	41	843 mm	05-1343-R
ATS-15	41	843 mm	05-1343-R
DWS-6	17	357 mm	05-1346-R
DWS-7	17	357 mm	05-1346-R
DWS-8V	22	450 mm	05-0011-R
DWS-12	41	843 mm	05-1343-R
DWS-15	41	843 mm	05-1343-R
DWS-24	41	843 mm	05-1343-R
DWSW-6	17	357 mm	05-1346-R
DWSW-12	41	843 mm	05-1343-R
SE7	17	357 mm	05-1346-R
SE15	41	843 mm	05-1343-R
SE24	41	843 mm	05-1343-R
SE-8V	22	450 mm	05-0011-R
SL-5	22	450 mm	05-0011-R
SL-8	22	450 mm	05-0011-R
SL-8V	22	450 mm	05-0011-R

BECKETT

PBF750	9	145 mm	05-0671
PBF3000	9	145 mm	05-0671

BIOLITE (CUNO INC.)

BIO12	39	810 mm	05-0176-R
UVLB-1X	39	810 mm	05-0176-R

BIOZONE COLUMN (I)

1000	10	212 mm	05-1119-R
1500	10	212 mm	05-1119-R
2000	10	212 mm	05-1119-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

BIOZONE COLUMN (II)

2500	10	212 mm	05-1119-R
3000	10	212 mm	05-1119-R
4000	10	212 mm	05-1119-R
5000	10	212 mm	05-1119-R
10-08025	10	212 mm	05-1119-R
200R	10	212 mm	05-1119-R
300FS	10	212 mm	05-1119-R
400FS	10	212 mm	05-1119-R
BZ45	10	212 mm	05-1119-R
D500	10	212 mm	05-1119-R

CAL PUMP

BF1000	9	145 mm	05-0671
BF2000	18	220 mm	05-0323-R
BF4000	36	410 mm	05-0678
UV9	9	145 mm	05-0671
UV18 (2006 & before)	18	220 mm	05-0323-R
UV36	36	410 mm	05-0678

CALUTECH AIR PURIFIER

196	36	410 mm	05-0678
200	36	410 mm	05-0678
244	36	410 mm	05-0678
246	36	410 mm	05-0678
900318	18	220 mm	05-0323-R
900336	36	410 mm	05-0678
2006 AT	36	410 mm	05-0678
2006 DS	36	410 mm	05-0678
200M	36	410 mm	05-0678
6721 HU	36	410 mm	05-0678
9002 (2001-2003)	36	410 mm	05-0678
9002 AT	36	410 mm	05-0678
9002 CB	36	410 mm	05-0678
9002 DS	36	410 mm	05-0678
9002 MB	18	220 mm	05-0323-R
Air Tronics V2	36	410 mm	05-0678
AQ400	36	410 mm	05-0678
Clear Air Silver	36	410 mm	05-0678
DSL UV	36	410 mm	05-0678
Hurricane II	36	410 mm	05-0678
Mini Blue	18	220 mm	05-0323-R
Original Blue	36	410 mm	05-0678

CAMPBELL MANUFACTURING

DWS-7	17	357 mm	05-0378-R
-------	----	--------	-----------

CATFISH LIGHTING

9 Watt	9	145 mm	05-0458
18 Watt	18	220 mm	05-0323-R
36 Watt	36	410 mm	05-0678

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

CORAL LIFE

77082	9	145 mm	05-0458
77084	18	220 mm	05-0323-R
5 Watt	5	83 mm	05-0469
8 Watt	8	288 mm	05-1108-R
10 Watt	10	330 mm	05-0069
15 Watt	15	436 mm	05-1105-R
25 Watt	25	436 mm	05-1107-R
30 Watt	30	895 mm	05-1106-R
3x	9	145 mm	05-0458
6x	18	220 mm	05-0323-R
Turbotwist 9 Watt	9	145 mm	05-0458
Turbotwist 18 Watt	18	220 mm	05-0323-R
Turbotwist 36 Watt	36	410 mm	05-0678

CROWN AIR QUALITY

LP-1000	10	212 mm	05-1425-R
---------	----	--------	-----------

CULLIGAN

AQ37085	16.5	325 mm	05-0500
AQ37086	40	525 mm	05-0501
AQ37087	84	875 mm	05-0502
Aquada 1	16.5	325 mm	05-0500
Aquada 2 & 4	40	525 mm	05-0501
Aquada 7 & 10	84	875 mm	05-0502
NLR1825	16.5	325 mm	05-0500
NLR1845	40	525 mm	05-0501
NLR1880	84	875 mm	05-0502

CUNO

APUV-5	22	463 mm	05-0510
APUV-12	39	810 mm	05-0176-R
UVLB-1X	39	810 mm	05-0176-R

CUSTOM SEA LIFE

Double Helix 9 Watt	9	145 mm	05-0458
Double Helix 18 Watt	18	220 mm	05-0323-R
Double Helix 36 Watt	36	410 mm	05-0678

DELTA ULTRAVIOLET

70-18316	17	357 mm	05-1380-R
70-18340	41	843 mm	05-1382-R
70-18405	30	357 mm	05-0557
70-18420	95	893 mm	05-0336-R
E/ES/EP - Model 5	30	357 mm	05-0557
E/ES/EP - Model 20	95	893 mm	05-0336-R
EA/Pond Master - Model 18	17	357 mm	05-1380-R
EA/Pond Master - Model 40	41	843 mm	05-1382-R

DENTEC

4000	3.5	63 mm	05-0002A
GTL3	3.5	63 mm	05-0002A

ECOQUEST FRESH AIR

UV4	4	136 mm	05-1110-R
-----	---	--------	-----------

EIKO

G4T5	4	136 mm	05-1110-R
G6T5	6	212 mm	05-1109-R
G8T5	8	288 mm	05-1108-R
G10T5L	17	357 mm	05-1346-R
G10T8	10	330 mm	05-0069
G11T5	11	226 mm	05-0473
G15T8	15	436 mm	05-1105-R
G30T8	30	895 mm	05-1106-R
G36T5L	41	843 mm	05-1343-R
G36T5L/4P	41	843 mm	05-1382-R
G40T10	40	1214 mm	05-0312
G55T8	55	895 mm	05-0554
G64T5L	75	1554 mm	05-1338A-R
G64T5L/4P	75	1554 mm	05-1017A-R
GTL3	3.5	63 mm	05-0002A

EMPEROR AQUATICS

20018	17	357 mm	05-1380-R
20025	23	463 mm	05-1523-R
20040	41	843 mm	05-1382-R
20065	75	1554 mm	05-1017A-R
20066	75	1554 mm	05-0053-R
18 Watt Smart UV	17	357 mm	05-1380-R
25 Watt Smart UV	23	463 mm	05-1523-R
40 Watt Smart UV	41	843 mm	05-1382-R
65 Watt Smart UV	75	1554 mm	05-0053-R
65 Watt Smart UV	75	1554 mm	05-1017A-R

ENVIRACAIRE

BWM-211D	3.5	63 mm	05-0002A
EWM-211D	3.5	63 mm	05-0002A
EWM-220	3.5	63 mm	05-0002A
EWM-300W	3.5	63 mm	05-0002A
EWM-350	3.5	63 mm	05-0002A

FISCHER & PORTER

70UV3000	75	1554 mm	05-1017A-R
443U575U01	75	1554 mm	05-1017A-R
443U575U02	41	843 mm	05-1382-R
690B021U01	75	1554 mm	05-1017A-R
690B021U02	41	843 mm	05-1382-R
B153B008U01	75	1554 mm	05-1017A-R
B153L002U01	75	1554 mm	05-1017A-R
SBU-UVL64	75	1554 mm	05-1017A-R

FISH MATE CONTINUED ON PAGE 7

8 Watt	8	288 mm	05-1108-R
15 Watt	15	436 mm	05-1105-R
25 Watt	25	436 mm	05-1107-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

FISH MATE CONTINUED FROM PAGE 6

30 Watt	30	895 mm	05-1106-R
ANI329	8	288 mm	05-1108-R
BioPond	8	288 mm	05-1108-R

GENERAL ELECTRIC

I1077	8	288 mm	05-1108-R
I1078	15	436 mm	05-1105-R
I1080	30	895 mm	05-1106-R
I1082	25	436 mm	05-1107-R
I5864	65	1554 mm	05-0440
I5872	4	136 mm	05-1110-R
I5873	6	212 mm	05-1109-R
I5874	41	843 mm	05-1343-R
I5875	55	895 mm	05-0554
I5876	40	1214 mm	05-0312
I5877	9	145 mm	05-0458
29495	11	226 mm	05-0473
29498	10	330 mm	05-0069
40696	9	145 mm	05-0458
46630	38	793 mm	05-1024-R
G4T5	4	136 mm	05-1110-R
G6T5	6	212 mm	05-1109-R
G8T5	8	288 mm	05-1108-R
G10T8	10	330 mm	05-0069
G11T5	11	226 mm	05-0473
G15T8	15	436 mm	05-1105-R
G25T8	25	436 mm	05-1107-R
G30T8	30	895 mm	05-1106-R
G36T5	41	843 mm	05-1343-R
G40T10	40	1214 mm	05-0312
G55T8/HO	55	895 mm	05-0554
G64T5	65	1554 mm	05-0440
GBX9/UVC	9	145 mm	05-0458
GPH793T5L/4P	38	793 mm	05-1024-R

GERM GUARDIAN

6815A	9	145 mm	05-0458
EV9LBL	9	145 mm	05-0458
EV9102	9	145 mm	05-0458
EV9102CA	9	145 mm	05-0458
EV9102PL	9	145 mm	05-0458
GG1000	3.5	63 mm	05-0002A
GG1000CA	3.5	63 mm	05-0002A
GGH200	3.5	63 mm	05-0002A
LB1000	3.5	63 mm	05-0002A

GLASCO

250	17	357 mm	05-1380-R
1308	41	843 mm	05-1382-R
1508	14	287 mm	05-1366-R

GLASCO

I608	17	357 mm	05-1380-R
I642	41	843 mm	05-1343-R
I708	41	843 mm	05-0001-R
I742	41	843 mm	05-0001-R
I842	17	357 mm	05-1346-R
I851	75	1554 mm	05-1337-R
I908	17	357 mm	05-0058-R
2460	41	843 mm	05-1343-R
8030	41	843 mm	05-1382-R
8060	17	357 mm	05-1380-R
GS4305L	39	810 mm	05-0176-R
GUS 7	17	357 mm	05-1380-R
GUS15	41	843 mm	05-0001-R

HALLETT (UV PURE TECHNOLOGIES)

C300032	60	640 mm	05-0547
C300210	50	540 mm	05-0546
C300065	60	640 mm	05-0547
E300165	40	436 mm	05-0545
E300210	50	540 mm	05-0546
H300210	50	540 mm	05-0546
Hallett 13	40	436 mm	05-0545
Hallett 15xs	50	540 mm	05-0546
Hallett 30	60	640 mm	05-0547

HAWAIIAN MARINE

AN-4S	4	136 mm	05-1110-R
AN-4SA	4	136 mm	05-1110-R
AN-8	8	288 mm	05-1108-R
AN-8A	8	288 mm	05-1108-R
AN-15	15	436 mm	05-1105-R
AN-30	30	895 mm	05-1106-R

HONEYWELL * Replacement Lamp Only - No Handle

I00476735	18	220 mm	05-0681
HWM-500	3.5	63 mm	05-0002A
RUVBULBI	18	220 mm	05-0681
UCI00A1013	36	410 mm	05-0680
UCI00A1054	36	410 mm	05-0680
UCI00E1006	18	220 mm	05-0681
UCI00E1014	36	410 mm	05-0680
UCI00E1030	36	410 mm	05-0680
UCI8W1004	18	220 mm	05-0681
UC36W1006	36	410 mm	05-0680
UVI00A1000	18	220 mm	05-0681
UVI00A1005	18	220 mm	05-0681
UVI00A1018	36	410 mm	05-0680
UVI00A1059	36	410 mm	05-0680
UVI00A2008	36	410 mm	05-0680
UVI00E1043	18	220 mm	05-0681
UVI00E2009	36	410 mm	05-0680
UVI00E3007	36	410 mm	05-0680

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

HOZELOCK CYPRIO

BioForce 250	5	83 mm	05-0469
BioForce 500	5	83 mm	05-0469
BioForce 1000	9	145 mm	05-0458
BioForce CF9DS	9	145 mm	05-0458
Easy Clear 500	5	83 mm	05-0469
Easy Clear 1000	9	145 mm	05-0458
Eco Clear 500	5	83 mm	05-0469
Eco Clear 1000	9	145 mm	05-0458
UVC 1311	5	83 mm	05-0469
UVC 1312	5	83 mm	05-0469
UVC 1326	5	83 mm	05-0469
UVC 1327	9	145 mm	05-0458
UVC 1328	9	145 mm	05-0458
Vorton 500	5	83 mm	05-0469
Vorton 1000	9	145 mm	05-0458
Vorton 2000	9	145 mm	05-0458
Vorton 4000	9	145 mm	05-0458

HYDRO-SAFE

HSUV-SS-1-1	14	287 mm	05-0695
HSUV-SS-12-1	41	843 mm	05-1534-R
HSUV-SS-2-1	14	287 mm	05-1366-R
HSUV-SS-5-1	21	436 mm	05-1370-R

IDEAL HORIZONS COLUMN (I)

2001	17	384 mm	05-1346-R
11002	75	1554 mm	05-1337-R
11003	41	843 mm	05-1341-R
11004	75	1554 mm	05-1337-R
11010	55	1148 mm	05-1381-R
12002	32	691 mm	05-1352-R
12003	41	843 mm	05-1343-R
12006	75	1554 mm	05-1338A-R
12008	41	843 mm	05-1343-R
12013	55	1148 mm	05-1334-R
12026	18.4	386 mm	05-1340-R
22001	14	287 mm	05-1098-R
22002	21	436 mm	05-1097-R
22003	25	436 mm	05-1107-R
22004	30	895 mm	05-1106-R
22005	38	793 mm	05-1116-R
22006	17	357 mm	05-0159-R
22015	10	212 mm	05-1400-R
22018	41	843mm	05-0315-R
22023	17	357 mm	05-0159-R
22031	110	1146 mm	05-1311-R
32001	41	843 mm	05-1016-R
41001	10	212 mm	05-1119-R
41002	12	254 mm	05-0130-R
41003	14	287 mm	05-1366-R

IDEAL HORIZONS COLUMN (II) CONTINUED ON PAGE 9

41004	16	330 mm	05-0203-R
41005	17	357 mm	05-1380-R
41007	22	450 mm	05-0011-R
41010	39	810 mm	05-0148-R
41016	34	650 mm	05-1522-R
42002	14	287 mm	05-1366-R
42003	17	357 mm	05-1380-R
42005	22	450 mm	05-0010-R
42012	39	810 mm	05-0176-R
42016	21	436 mm	05-1370-R
42019	41	843 mm	05-1382-R
42022	23	463 mm	05-1523-R
42047	16	330 mm	05-0201-R
42051	18	406 mm	05-0614
42052	38	793 mm	05-1024-R
42053	34	650 mm	05-1522-R
1-CUV	10	212 mm	05-1119-R
2-CUV	12	254 mm	05-0130-R
4-CUV	17	357 mm	05-1380-R
6-CUV	17	357 mm	05-1380-R
CR-7	17	357 mm	05-1380-R
CS-25	22	450 mm	05-0011-R
IH-1	14	287 mm	05-1098-R
IH-2	14	287 mm	05-1098-R
IH-4	17	357 mm	05-1380-R
IH-5	32	691 mm	05-1352-R
IH-8	14	287 mm	05-1098-R
IH-25	21	436 mm	05-1097-R
IH-40	38	793 mm	05-1116-R
IH40387	84	875mm	05-0631
IV-8	14	287 mm	05-1098-R
IV-25	21	436 mm	05-1097-R
IV-40	38	793 mm	05-1116-R
LBR-4	14	287 mm	05-1366-R
LBR-6	17	357 mm	05-1380-R
LBR-8	17	357 mm	05-1380-R
LBR-12	22	450 mm	05-0011-R
LBRE-6	17	357 mm	05-1380-R
LBRE-8	17	357 mm	05-1380-R
ME-4	16	330 mm	05-0203-R
ME-7	22	450 mm	05-0011-R
ME-10	22	450 mm	05-0011-R
MWE-6	16	330 mm	05-0203-R
MWE-10	22	450 mm	05-0011-R
RE-5	16	330 mm	05-0203-R
RE-8	16	330 mm	05-0203-R
RE-12	22	450 mm	05-0011-R
REH-8	16	330 mm	05-0201-R
SH-4	14	287 mm	05-1098-R
SH-7	21	436 mm	05-1097-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

IDEAL HORIZONS COLUMN (III)
CONTINUED FROM PAGE 8

SH-10	21	436 mm	05-1097-R
SH-15	41	843 mm	05-1343-R
SH-20	21	436 mm	05-1097-R
SHE15	41	843 mm	05-1343-R
SR-1	10	212 mm	05-1119-R
SR-2	16	330 mm	05-0201-R
SR-3	16	330 mm	05-0201-R
SS-4	16	330 mm	05-0203-R
SS-7	22	450 mm	05-0011-R
SS-10	22	450 mm	05-0011-R
SS-15	34	650 mm	05-1522-R
SS-20	39	810 mm	05-0148-R
SSE-4	16	330 mm	05-0203-R
SSW-6	16	330 mm	05-0203-R
SSW-10	22	450 mm	05-0011-R
SSW-15	34	650 mm	05-1522-R
SSW-20	39	810 mm	05-0148-R
SSW-30	39	810 mm	05-0148-R
SSW-45	39	810 mm	05-0148-R
SSW-60	39	810 mm	05-0148-R
SSWE-6	16	330 mm	05-0203-R
SV-4	16	330 mm	05-0203-R
SV-6	16	330 mm	05-0203-R
SV-7	22	450 mm	05-0011-R
SV-10	22	450 mm	05-0011-R
SV-15	34	650 mm	05-1522-R
SV-20	39	810 mm	05-0148-R
SV-30	39	810 mm	05-0148-R
SV-45	39	810 mm	05-0148-R
SV-60	39	810 mm	05-0148-R
SVE-4	16	330 mm	05-0203-R
SVE-6	16	330 mm	05-0203-R
SVE-7	22	450 mm	05-0011-R

IONIC BREEZE

Desktop Air Purifier w/UV Protection	6	212 mm	05-1109-R
Ionic Breeze Car Air Purifier Model GP	6	212 mm	05-1109-R
Ionic Breeze Desktop GP	8	288 mm	05-1108-R
Ionic Breeze Floor Model GP	15	436 mm	05-1105-R
PL-L36w/TUV	36	410 mm	05-0678
Professional Series	15	436 mm	05-1105-R
SI362BLU	36	410 mm	05-0678

L. A. SPA

254T5VH	12	254 mm	05-0107
ZO-PURE5-V	12	254 mm	05-0107

LAGUNA

Hagen Power Clear	55	895 mm	05-0554
Power Max 1000	8	288 mm	05-1108-R
Power Max 5000	55	895 mm	05-0554
PT-521	8	288 mm	05-1108-R
PT-1650	8	288 mm	05-1108-R
PT-1651	8	288 mm	05-1108-R
PT-1660	55	895 mm	05-0554
PT-1661	55	895 mm	05-0554

LANCASTER PUMP

3-6	14	287 mm	05-1120-R
4-6	16	330 mm	05-0203-R
5-6	17	357 mm	05-0058-R
7-6	22	450 mm	05-0011-R
7-L10	50	450 mm	05-4001
7-L20	41	843 mm	05-4002
7L8-246	41	843 mm	05-1343-R
7-LWT-UV10	50	450 mm	05-4001
7-LWT-UV20	41	843 mm	05-4002
7-LWT-UV015	50	450 mm	05-4001
7-LWT-UV025	41	843 mm	05-4002
12-6	39	810 mm	05-0148-R
L-12-6	40	810 mm	05-4003
LBR-4	14	287 mm	05-1120-R
LBR-6	17	357 mm	05-0058-R
LBR-8	17	357 mm	05-0058-R
LBR-12	22	450 mm	05-0011-R
LUV-4E	16	330 mm	05-0203-R
LUV-7E	22	450 mm	05-0011-R
LUV-7R	21	436 mm	05-1370-R
LUV-10E	22	450 mm	05-0011-R
LUV-12	38	793 mm	05-1024-R
LUV-20E	39	810 mm	05-0148-R
LUV-30E	39	810 mm	05-0148-R
LUV-45E	39	810 mm	05-0148-R
LUV-60E	39	810 mm	05-0148-R

LENNOX

56N99	10	212 mm	05-0675
87N77	48	436 mm	05-0331-R

INFILCO DEGREMONT

40 HOVLS	75	1554 mm	05-0700
59619-G03	40	1554 mm	05-0702
59619-G06	75	1554 mm	05-0703
59619-G07	75	1554 mm	05-0704
59619-G09	75	1554 mm	05-0266-R
59619-G09	75	1554 mm	05-0705
59621-G05	75	1554 mm	05-0706
61645-G01	75	1554 mm	05-0700
61645-G02	75	1554 mm	05-0701
L58PT-1.5	75	1554 mm	05-0266-R
L58PT-3LMC	75	1554 mm	05-0028-R
L58PT-8	75	1554 mm	05-0030-R
L58065	75	1554 mm	05-1338A-R
L58065-LPT-1/2	75	1554 mm	05-1515-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

LIFE FLOW

1 GPM	17	357 mm	05-1533
2 GPM	17	357 mm	05-1380-R
6 GPM	41	843 mm	05-1382-R
12 GPM	41	843 mm	05-1382-R

MASTER WATER

HIMSP6165	21	436 mm	05-1097-R
HIMSV-6	16	330 mm	05-0201-R
HIMSV-7	22	450 mm	05-0010-R
HIMSV-10	22	450 mm	05-0010-R
HIMSV-20	39	810 mm	05-0176-R
MSP9360	38	793 mm	05-1116-R
MWC-7	16	314 mm	05-1517A-R
MWC-10	22	457 mm	05-0179A-R
MWC-15	30	620 mm	05-0097A-R
MWC-E7	16	314 mm	05-1517A-R
UV330/4	16	330 mm	05-0201-R
WGI231L/2P	38	793 mm	05-1116-R

NATURE'S QUARTERS

NQ250	25.6	538 mm	05-1348-R
NQ400	25.6	538 mm	05-1348-R

NEPTUNE (WATER TREATMENT & ACCESSORIES)

1000	17	357 mm	05-1380-R
1010	17	357 mm	05-1380-R
1020	17	357 mm	05-1380-R
1030	17	357 mm	05-1380-R
2000	17	357 mm	05-1380-R
2010	17	357 mm	05-1380-R
2020	17	357 mm	05-1380-R
2030	17	357 mm	05-1380-R
3000	22	450 mm	05-0011-R
3010	22	450 mm	05-0011-R
3020	22	450 mm	05-0011-R
3030	22	450 mm	05-0011-R
5000	39	810 mm	05-0176-R
5020	39	810 mm	05-0176-R
5030	39	810 mm	05-0176-R
TRI-8	22	450 mm	05-0010-R

OASE LIVING WATER COLUMN (1)

54984	9	145 mm	05-0458
55432	36	410 mm	05-0678
56236	18	220 mm	05-0323-R
Bitron 9	9	145 mm	05-0458
Bitron 18	18	220 mm	05-0323-R
Bitron 18C	18	220 mm	05-0323-R
Bitron 36	36	410 mm	05-0678
Bitron 36C	36	410 mm	05-0678
Bitron 72	36	410 mm	05-0678
Bitron 72C	36	410 mm	05-0678
Filtoclear 800	9	145 mm	05-0458

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

OASE LIVING WATER COLUMN (11)

Filtoclear 1600	9	145 mm	05-0458
Filtoclear 3000	9	145 mm	05-0458
Filtoclear 4000	9	145 mm	05-0458

ORBITEC

007859	4	136 mm	05-1110-R
--------	---	--------	-----------

OSRAM SYLVANIA

23388	55	895 mm	05-0554
G4T5	4	136 mm	05-1110-R
G6T5	6	212 mm	05-1109-R
G8T5	8	288 mm	05-1108-R
G10T8	10	330 mm	05-0069
G15T8	15	436 mm	05-1105-R
G25T8	25	436 mm	05-1107-R
G30T8	30	895 mm	05-1106-R
G55T8	55	895 mm	05-0554
G55T8/OF	55	895 mm	05-0554

PENTEK

163508	13	275 mm	05-0112-R
UV110	13	275 mm	05-0112-R

PHILIPS LIGHTING CONTINUED ON PAGE 11

75	75	1199 mm	05-5004
210641	18	220 mm	05-0323-R
244855	6	212 mm	05-1109-R
265850	36	410 mm	05-0678
292672	41	843 mm	05-1343-R
292698	75	1554 mm	05-1338A-R
299305	8	288 mm	05-1108-R
308643	15	436 mm	05-1105-R
325126	9	145 mm	05-0458
360164	30	895 mm	05-1106-R
362095	41	843 mm	05-1382-R
363713	4	136 mm	05-1110-R
381863	5	83 mm	05-0469
423502504291	3.5	63 mm	05-0002A
DL36	36	410 mm	05-0678
G55T8	55	895 mm	05-0554
G75T8	75	1199 mm	05-0554
HX6150	3.5	63 mm	05-0002A
PL-L18W/TUV/4P	18	220 mm	05-0323-R
PL-L18WTUV	18	220 mm	05-0323-R
PL-L35W-TUV	38	220 mm	05-0606
PL-L36W-TUV	36	410 mm	05-0322-R
PL-L-36W/TUV	36	410 mm	05-0678
PL-L60W-TUV	65	410 mm	05-0605
PL-S-5W/TUV	5	83 mm	05-0469
PL-S-9W/TUV	9	145 mm	05-0458
TUV4T5	4	136 mm	05-1110-R
TUV6T5	6	212 mm	05-1109-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

PHILIPS LIGHTING CONTINUED FROM PAGE 10

TUV8T5	8	288 mm	05-1108-R
TUV15T8	15	436 mm	05-1105-R
TUV18	18	220 mm	05-0323-R
TUV30T8	30	895 mm	05-1106-R
TUV36T5/SP	41	843 mm	05-1343-R
TUV36T54PSE	41	843 mm	05-1382-R
TUV36W	36	1199 mm	05-0582
TUV64T5/SP	75	1554 mm	05-1338A-R
TUV115W	115	1199 mm	05-0607
TUVF17T8	17	590 mm	05-0579
TUVPLL36W/4P	36	410 mm	05-0678

PHOTOSCIENCE JAPAN

7260W		1554 mm	05-0708
7330SWA	41	843 mm	05-1343-R
7330WS	41	843 mm	05-1343-R
7990W		1554 mm	05-0707
7990WS		1554 mm	05-0709
S990W	120	1554 mm	05-0676
S990W-F	120	1554 mm	05-0676

PLUSRITE

5003	3.5	63 mm	05-0002A
5005	18	220 mm	05-0323-R
GPL18	18	220 mm	05-0323-R
GTL3	3.5	63 mm	05-0002A

PURA

163512	23	463 mm	05-1523-R
36002016	10	212 mm	05-1119-R
36002017	13	275 mm	05-0112-R
36002018	23	463 mm	05-1523-R
1 GPM	10	212 mm	05-1119-R
2 GPM	13	275 mm	05-0112-R
10-212	10	212 mm	05-1119-R
11-275	13	275 mm	05-0112-R
20-463	23	463 mm	05-1523-R
210-110	13	275 mm	05-0112-R
210-200	23	463 mm	05-1523-R
310-003	12	254 mm	05-0130-R
7253L	13	275 mm	05-0112-R
812RL	10	212 mm	05-1119-R
UV10	10	212 mm	05-1119-R
UV11	13	275 mm	05-0112-R
UV20	23	463 mm	05-1523-R
UV20BB	23	463 mm	05-1523-R
UV100	10	212 mm	05-1119-R
UV101	13	275 mm	05-0112-R

PURELY UV PRODUCTS COLUMN (1)

PUVG1118	18	220 mm	05-0323-R
PUVG1136	36	410 mm	05-0678
PUVH2309	9	145 mm	05-0671

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

PURELY UV PRODUCTS COLUMN (11)

PUVLB504	4	136 mm	05-1110-R
PUVLB506	6	212 mm	05-1109-R
PUVLB508	8	288 mm	05-1108-R
PUVLB515	15	436 mm	05-1105-R
PUVLB525	25	436 mm	05-1107-R
PUVLF285	15	287 mm	05-3230
PUVLF435	25	436 mm	05-3232
PUVLF43H	57	436 mm	05-3234

RAINBOW LIFEGARD

175229	8	288 mm	05-3225
175230	21	436 mm	05-3226
175231	38	793 mm	05-1056
QL8	8	288 mm	05-3225
QL25	21	436 mm	05-3226
QL40	38	793 mm	05-1056
QL240	38	793 mm	05-1056
Rainbow 8 watt	8	288 mm	05-3225
Rainbow 25 watt	21	436 mm	05-3226
Rainbow 40 watt	38	793 mm	05-1056

R-CAN (STERILIGHT) CONTINUED ON PAGE 12

I2QA	41	843 mm	05-1534-R
S2Q	16	330 mm	05-0566
S2Q-Gold	16	330 mm	05-0566
S2Q-PA	16	330 mm	05-0566
S2R	25	436 mm	05-1107-R
S2RA	25	436 mm	05-1107-R
S2RL	25	436 mm	05-1107-R
S5Q	22	463 mm	05-0510
S5Q/2	22	463 mm	05-0510
S5Q-Gold	22	463 mm	05-0510
S5Q-Gold/2	22	463 mm	05-0510
S5Q-PA	22	463 mm	05-0510
S5Q-PA/2	22	463 mm	05-0510
S5R	30	895 mm	05-1106-R
S5RA	30	895 mm	05-1106-R
S5RL	30	895 mm	05-1106-R
S8Q	38	810 mm	05-0511
S8Q/2	38	810 mm	05-0511
S8QA	41	843 mm	05-0087A-R
S8QAUV	41	843 mm	05-0087A-R
S8Q-Gold	38	810 mm	05-0511
S8Q-Gold/2	38	810 mm	05-0511
S8Q-PA	38	810 mm	05-0511
S8Q-PA/2	38	810 mm	05-0511
S8RL	41	843 mm	05-0087A-R
S8RL/4P	41	843 mm	05-1534-R
S12Q	40	843 mm	05-0512
S12Q/2	40	843 mm	05-0512
S12QA	41	843 mm	05-0087A-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

R-CAN (STERILIGHT) CONTINUED FROM PAGE 11

S12Q-Gold	40	843 mm	05-0512
S12Q-Gold/2	40	843 mm	05-0512
S12Q-PA	40	843 mm	05-0512
S12Q-PA/2	40	843 mm	05-0512
S24Q	40	843 mm	05-0512
S24Q/2	40	843 mm	05-0512
S24QA	41	843 mm	05-1534-R
S24QAUV	41	843 mm	05-1534-R
S24Q-Gold	40	843 mm	05-0512
S24Q-Gold/2	40	843 mm	05-0512
S36RL	40	843 mm	05-0512
S36ROL	40	843 mm	05-0696
S64RL	75	1554 mm	05-0532
S64ROL	65	1554 mm	05-0697
S100RL-HO	15	192 mm	05-0594
S150RL-HO	20	242 mm	05-0595
S212RL	10	212 mm	05-0694
S287RL	14	287 mm	05-0695
S200RL-HO	30	294 mm	05-0596
S320RL-HO	36	414 mm	05-0597
S330RL	16	330 mm	05-0566
S410RL-HO	45	505 mm	05-0598
S410RL-HW	47	510 mm	05-0698
S463RL	22	463 mm	05-0510
S463ROL	22		05-0711
S600RL-HO	65	694 mm	05-0599
S740RL-HO	80	834 mm	05-0600
S810RL	38	810 mm	05-0511
S950RL-HO	100	1043 mm	05-0601
S950RL-HW	100	1043 mm	05-0699
SP100-HO	15	192 mm	05-0594
SP150-HO	20	242 mm	05-0595
SP200-HO	30	294 mm	05-0596
SP320-HO	36	414 mm	05-0597
SP410-HO	45	505 mm	05-0598
SP600-HO	65	694 mm	05-0599
SP740-HO	80	834 mm	05-0600
SP950-HO	100	1043 mm	05-0601
SSM-24	22	463 mm	05-0510
SSM-24/2	22	463 mm	05-0510
SSM-37	38	810 mm	05-0511
SSM-37/2	38	810 mm	05-0511
SSM-39	40	843 mm	05-0512
SSM-39/2	40	843 mm	05-0512
SUV 24-1000	41	843 mm	05-1534-R
SUV 24P-100P	40	843 mm	05-0512
SUV225P-800P	75	1554 mm	05-0532

SALCOR UV

36UV	38	793 mm	05-1024-R
Salcor UV	38	793 mm	05-1024-R

SAMKUN CENTRY CO.

JSA-1000	21	436 mm	05-1370-R
JSA-3000	41	843 mm	05-1534-R
JSA-5000	41	843 mm	05-1534-R

SAVIO UVINEX

SUV025	25	436 mm	05-3232
SUV057	57	436 mm	05-3234

SEA LIFE

Double Helix	9	145 mm	05-0458
--------------	---	--------	---------

SECOND WIND AIR PURIFIER

1000KA	10	212 mm	05-0675
1000KCS	10	212 mm	05-0675
1002KCS	48	436 mm	05-0331-R
1062	25	223 mm	Call
1076	48	436 mm	05-0331-R
2000	48	436 mm	05-0331-R
8000	48	436 mm	05-0331-R
9000	48	436 mm	05-0331-R
F1000	10	212 mm	05-0675

SHARPER IMAGE

Desktop Air Purifier w/UV Protection	6	212 mm	05-1109-R
Ionic Breeze Car Air Purifier Model GP Ionic Breeze GP	6	212 mm	05-1109-R
Ionic Breeze Desktop GP	8	288 mm	05-1108-R
Ionic Breeze Floor Model GP	15	436 mm	05-1105-R
PL-L36w/TUV	36	410 mm	05-0678
Professional Series	15	436 mm	05-1105-R
SI362BLU	36	410 mm	05-0678

SIEMENS CONTINUED ON PAGE 13

3084	41	843 mm	05-1343-R
3087	41	843 mm	05-1341-R
3098	75	1554 mm	05-1338A-R
17491	41	843 mm	05-0453-R
17498	75	1554 mm	05-0527
17998	75	1554 mm	05-0492
189774	75	1554 mm	05-0527
LP4005	75	1554 mm	05-0124-R
LP4010	75	1554 mm	05-1338A-R
LP4015	75	1554 mm	05-1337-R
LP4020	75	1554 mm	05-1017A-R
LP4025	75	1554 mm	05-0053-R
LP4040	41	843 mm	05-1343-R
LP4045	41	843 mm	05-1341-R
LP4050	41	843 mm	05-1382-R

RGF ENVIRONMENTAL

EL-095T	9	117 mm	05-0693
Plug In Plus	9	117 mm	05-0693

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

SIEMENS CONTINUED FROM PAGE 12

LP4055	41	843 mm	05-0001-R
LP4070	32	691 mm	05-1352-R
LP4075	39	810 mm	05-0148-R
LP4085	34	650 mm	05-1522-R
LP4090	22	450 mm	05-0011-R
LP4095	21	436 mm	05-1097-R
LP4105	17	357 mm	05-1380-R
LP4110	17	357 mm	05-0058-R
LP4125	16	330 mm	05-0203-R
LP4130	14	287 mm	05-1366-R
LP4135	14	287 mm	05-1120-R
LP4150	14	287 mm	05-1098-R
LP4155	8	162 mm	05-0665
LP4165	17	357 mm	05-1346-R
LP4175	17	357 mm	05-1347
LP4185	25.6	538 mm	05-1348-R
LP4220	10	212 mm	05-1119-R
LP4230	10	212 mm	05-1410-R
LP4250	16	330 mm	05-0201-R
LP4260	22	450 mm	05-0010-R
LP4265	38	793 mm	05-1116-R
LP4280	75	1554 mm	05-1017A-R
LP4290	21	436 mm	05-1370-R
LP4360	22	456 mm	05-0261-R
LP4375	42	868 mm	05-1336A-R
LP4395	39	842 mm	05-0667
LP4420	87	843 mm	05-0264-R
LP4425	30	357 mm	05-0557
LP4435	84	838 mm	05-0666
LP4440	155	1554 mm	05-0624
LP4535	55	1148 mm	05-1334-R
LP4555	320	1554 mm	05-0668
LP4570	41	843 mm	05-0453-R
LP4580	75	1554 mm	05-0492
LP4605	75	1554 mm	05-0527
LP4610	55	1148 mm	05-1381-R
LP4625	17	357 mm	05-0329-R
LP4750	87	843 mm	05-0265-R
LP4825	21	436 mm	05-0677
LP4840	41	843 mm	05-0200A-R
LP4845	25	538 mm	05-1349-R
LP5005	10	212 mm	05-1119-R
LP5035	36	390 mm	05-0643
LP5040	40	525 mm	05-0501
LP6155	25.6	1554 mm	05-0423-R
SB-10	30	357 mm	05-0557
SBH-7	16	330 mm	05-0201-R
ZCSPL3084	41	843 mm	05-1343-R
ZCSPL3087	41	843 mm	05-1341-R

SLANT/FIN

GF-100	3.5	63 mm	05-0002A
GF-200	3.5	63 mm	05-0002A
GF-210	3.5	63 mm	05-0002A
GF-210W	3.5	63 mm	05-0002A
GF-211D	3.5	63 mm	05-0002A
GF-220	3.5	63 mm	05-0002A
GF-240	3.5	63 mm	05-0002A
GF-300W	3.5	63 mm	05-0002A
GF-350	3.5	63 mm	05-0002A
GFH-150	3.5	63 mm	05-0002A

SOL-AIR SYSTEMS, INC.

EL-SL-24	80	609 mm	05-1064
----------	----	--------	---------

SPECTRONICS

BLE2537/S	4	136 mm	05-1110-R
-----------	---	--------	-----------

STERIL SYSTEMS

UVC-2036-2	41	843 mm	05-0613
------------	----	--------	---------

STERILAIRE

20000100	42	410 mm	05-0652
20000200	63	568 mm	05-0593
20000300	80	721 mm	05-0670
20000400	93	875 mm	05-0455-R
20000500	110	1025 mm	05-0456-R
21000300	63	609 mm	05-0608
DE181VO	42	410 mm	05-0652
DE241VO	63	568 mm	05-0593
DE301VO	80	721 mm	05-0670
DE361VO	93	875 mm	05-0455-R
DE421VO	110	1025 mm	05-0456-R
GTD16VO	42	410 mm	05-0652
GTD22VO	63	568 mm	05-0593
GTD28VO	80	721 mm	05-0670
GTD34VO	93	875 mm	05-0455-R
GTD40VO	110	1025 mm	05-0456-R
GTS24VO	63	609 mm	05-0608

STER-L-RAY™ (ATLANTIC ULTRAVIOLET) CONTINUED ON PAGE 14

A75	8	288 mm	05-1108-R
A250	18.4	384 mm	05-1339-R
A600	41	843 mm	05-1341-R
A2400	110	1149 mm	05-1312-R
BIO-1.5	14	287 mm	05-1366-R
BIO-3.0	21	436 mm	05-1370-R
DV75	8	288 mm	05-1108-R
DV250	18.4	384 mm	05-1339-R
DV600	41	843 mm	05-1341-R
M50	75	1554 mm	05-1313A-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

STER-L-RAY™ (ATLANTIC ULTRAVIOLET) CONTINUED FROM PAGE 13

M90	75	1554 mm	05-1313A-R
M150	75	1554 mm	05-1313A-R
M250	75	1554 mm	05-1313A-R
MIN-1	10	212 mm	05-1119-R
MIN-1.5	14	287 mm	05-1366-R
MIN-3	14	287 mm	05-1366-R
MIN-6	21	436 mm	05-1370-R
MIN-9	30	620 mm	05-0097A-R
MP13	10	212 mm	05-1400-R
MP13A	10	212 mm	05-1400-R
MP16	14	287 mm	05-1098-R
MP16A	14	287 mm	05-1098-R
MP22	21	436 mm	05-1097-R
MP22A	21	436 mm	05-1097-R
MP36	38	793 mm	05-1116-R
MP36A	41	843 mm	05-1343-R
MP36B	41	843 mm	05-1343-R
MP36C	41	843 mm	05-1343-R
MP49	55	1148 mm	05-1334-R
MP49B	55	1148 mm	05-1334-R
MP49C	55	1148 mm	05-1334-R
S14	10	212 mm	05-1400-R
S14A	10	212 mm	05-1400-R
S17	14	287 mm	05-1098-R
S17A	14	287 mm	05-1098-R
S23	21	436 mm	05-1097-R
S23A	21	436 mm	05-1097-R
S37	38	793 mm	05-1116-R
S37A	41	843 mm	05-1343-R
S37B	41	843 mm	05-1343-R
S37C	41	843 mm	05-1343-R
S50	55	1148 mm	05-1334-R
S50B	55	1148 mm	05-1334-R
S50C	55	1148 mm	05-1334-R
S2400	110	1146 mm	05-1311-R
S2400B	110	1146 mm	05-1311-R
S2400C	110	1146 mm	05-1311-R
U4	17	357 mm	05-0640A
U7	17	357 mm	05-0640A
U9	22	450 mm	05-0641A
U15	39	810 mm	05-0642A

SUNLIGHT COLUMN (1) CONTINUED ON PAGE 15

LP4005	75	1554 mm	05-0124-R
LP4010	75	1554 mm	05-1338A-R
LP4015	75	1554 mm	05-1337-R
LP4020	75	1554 mm	05-1017A-R
LP4025	75	1554 mm	05-0053-R
LP4040	41	843 mm	05-1343-R
LP4045	41	843 mm	05-1341-R
LP4050	41	843 mm	05-1382-R
LP4055	41	843 mm	05-0001-R
LP4070	32	691 mm	05-1352-R
LP4075	39	810 mm	05-0148-R
LP4085	34	650 mm	05-1522-R
LP4090	22	450 mm	05-0011-R
LP4095	21	436 mm	05-1097-R
LP4105	17	357 mm	05-1380-R
LP4110	17	357 mm	05-0058-R
LP4125	16	330 mm	05-0203-R
LP4130	14	287 mm	05-1366-R
LP4135	14	287 mm	05-1120-R
LP4150	14	287 mm	05-1098-R
LP4155	8	162 mm	05-0665
LP4165	17	357 mm	05-1346-R
LP4175	17	357 mm	05-1347
LP4185	25.6	538 mm	05-1348-R
LP4220	10	212 mm	05-1119-R
LP4230	10	212 mm	05-1410-R
LP4250	16	330 mm	05-0201-R
LP4260	22	450 mm	05-0010-R
LP4265	38	793mm	05-1116-R
LP4280	75	1554 mm	05-1017A-R
LP4290	21	436 mm	05-1370-R
LP4360	22	456 mm	05-0261-R
LP4375	42	868 mm	05-1336A-R
LP4395	39	842 mm	05-0667
LP4420	87	843 mm	05-0264-R
LP4425	30	357 mm	05-0557
LP4435	84	838 mm	05-0666
LP4440	155	1554 mm	05-0624
LP4535	55	1148 mm	05-1334-R
LP4555	320	1554 mm	05-0668
LP4570	41	843 mm	05-0453-R
LP4580	75	1554 mm	05-0492
LP4605	75	1554 mm	05-0527
LP4610	55	1148 mm	05-1381-R
LP4625	17	357 mm	05-0329-R
LP4750	87	843 mm	05-0265-R
LP4825	21	436 mm	05-0677
LP4840	41	843 mm	05-0200A-R
LP4845	25.6	538 mm	05-1349-R

SUNLIGHT COLUMN (1)

3084	41	843 mm	05-1343-R
3087	41	843 mm	05-1341-R
3098	75	1554 mm	05-1338A-R
17491	41	843 mm	05-0453-R
17498	75	1554 mm	05-0527
17998	75	1554 mm	05-0492
189774	75	1554 mm	05-0527

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

SUNLIGHT COLUMN (11)
CONTINUED FROM PAGE 14

LP5005	10	212 mm	05-1119-R
LP5035	36	390 mm	05-0643
LP5040	40	525 mm	05-0501
LP6155	256	1554 mm	05-0423-R
SB-10	30	357 mm	05-0557
SBH-7	16	330 mm	05-0201-R
ZCSPL3084	41	843 mm	05-1343-R
ZCSPL3087	41	843 mm	05-1341-R

TETRA POND

PLL18	18	220 mm	05-0323-R
PLL36	36	410 mm	05-0678
PLS5	5	83 mm	05-0469
PLS9	9	145 mm	05-0458
PUV2500	18	220 mm	05-0323-R
PUV4000	18	220 mm	05-0323-R
UV Mini Pond Clarifier	5	83 mm	05-0469
UV1	9	145 mm	05-0458
UV1 Pond Clarifier	9	145 mm	05-0458
UV2	18	220 mm	05-0323-R
UV2 Pond Clarifier	18	220 mm	05-0323-R
UV3	36	410 mm	05-0678
UV3 Pond Clarifier	36	410 mm	05-0678
UV5	5	83 mm	05-0469

TROJAN TECHNOLOGIES COLUMN (1)

602	14	287 mm	05-1366-R
612	41	843 mm	05-0200A-R
702	14	305 mm	05-2605
705	24	473 mm	05-2606
708	34	648 mm	05-2607
712	42	900 mm	05-2608
775-1	34	648 mm	05-2607
6414	75	1554 mm	05-0124-R
7024	41	843 mm	05-0200A-R
7040	41	843 mm	05-0200A-R
7100	41	843 mm	05-0200A-R
302417	41	843 mm	05-0200A-R
302418	75	1554 mm	05-0124-R
302509	256	1554 mm	05-0423-R
602140	24	473 mm	05-2606
602142	42	900 mm	05-2608
602803	16.4	279 mm	05-2600
602804	27	241 mm	05-2601
602805	40	398 mm	05-2602
602806	68	631 mm	05-2603
602807	103	986 mm	05-2604
602854	92	447 mm	05-2613
602855	140	687 mm	05-2614
602856	190	930 mm	05-2615

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

TROJAN TECHNOLOGIES COLUMN (11)

650137	42	900 mm	05-2608
650138	34	648 mm	05-2607
650139	24	473 mm	05-2606
650140	14	305 mm	05-2605
650141	41	843 mm	05-0200A-R
650143	23	463 mm	05-1523-R
650144	14	287 mm	05-1366-R
650149	30	895 mm	05-1106-R
793923	120	1002 mm	05-0625
794113	98	672 mm	05-0544
794447-OGN	256	1554 mm	05-0423-R
794447-ORD	256	1554 mm	Call
794447-OSM	256	1554 mm	05-0423-R
794447-QYW	256	1554 mm	Call
6000080	75	1554 mm	05-1338A-R
Advantage 2	14	305 mm	05-2605
Advantage 5	24	473 mm	05-2606
Advantage 8	34	648 mm	05-2607
Advantage 12	42	900 mm	05-2608
G+	92	447 mm	05-2613
Pro 7	68	631 mm	05-2603
Pro 10	92	447 mm	05-2613
Pro 15	103	986 mm	05-2604
Pro 20	140	687 mm	05-2614
Pro 30	190	930 mm	05-2615
Trojan 2000	75	1554 mm	05-1338A-R
Trojan 3000	75	1554 mm	05-0124-R
Trojan 3000 Plus	256	1554 mm	05-0423-R
Trojan Logic Series AM	98	672 mm	05-0544
Trojan Logic Series AL	256	1554 mm	05-0423-R
UV Max A	16.4	279 mm	05-2600
UV Max B	27	241 mm	05-2601
UV Max C	40	389 mm	05-2602
UV Max D	40	389 mm	05-2602
UV Max E	68	631 mm	05-2603
UV Max E Plus	68	631 mm	05-2603
UV Max F	103	986 mm	05-2604
UV505	30	895 mm	05-1106-R
UV555	30	895 mm	05-1106-R
UV602	14	287 mm	05-1366-R
UV605	23	463 mm	05-1523-R
UV622	14	287 mm	05-1366-R
UV675	23	463 mm	05-1523-R
UV705	24	473 mm	05-2606
UV750	34	648 mm	05-2607
UV775	24	473 mm	05-2606
UV776	42	900 mm	05-2608
UV3614	41	843 mm	05-0200A-R
UV7614	42	900 mm	05-2608

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

TROPICAL MARINE CENTER (VECTON UV)

Pond Clear Advantage UV6	6	212 mm	05-1109-R
Pond Clear Advantage UV8	8	288 mm	05-1108-R
Pond Clear Advantage UV15	15	436 mm	05-1105-R
Pond Clear Advantage UV25	25	436 mm	05-1107-R
Pond Clear Advantage UV30	30	895 mm	05-1106-R

ULTRA DYNAMICS COLUMN (1)

250	17	357 mm	05-1380-R
250	17	357 mm	05-0058-R
5340 SUD	39	860 mm	05-0506
5340 UD	39	860 mm	05-0506
5360 SUD	39	860 mm	05-0507
6000-2	41	843 mm	05-1382-R
6780 SUD	75	1572 mm	05-0509
6780 UD	75	1572 mm	05-0509
7001-153	75	1554 mm	05-1338A-R
7001-158	75	1554 mm	05-1337-R
7001-727	8	288 mm	05-1108-R
7001-803	41	843 mm	05-1382-R
7001-805	14	287 mm	05-1366-R
7001-8055	14	287 mm	05-0504
7001-806	17	357 mm	05-1380-R
7001-807	41	843 mm	05-0001-R
7001-809	17	357 mm	05-0058-R
7001-814	32	691 mm	05-1352-R
7001-821	14	287 mm	05-1098-R
7001-915	14	287 mm	05-1120-R
7001-941	75	1572 mm	05-0508
7008-246	41	843 mm	05-1343-R
7008-247-1	41	843 mm	05-1341-R
7008-248	17	357 mm	05-1346-R
8030	41	843 mm	05-1382-R
8030 UD	41	843 mm	05-1382-R
8040	75	1554 mm	05-1017A-R
8050 SUD	14	287 mm	05-0504
8060 SUD	17	357 mm	05-0505
8060 UD	17	357 mm	05-1380-R
9410 SUD	75	1572 mm	05-0508
9410 UD	75	1572 mm	05-0508
19905 UD	75	1572 mm	05-0509
DW7	17	357 mm	05-1380-R
DW15	41	843 mm	05-1382-R
PI	14	287 mm	05-1366-R
PI	14	287 mm	05-1120-R
P3	17	357 mm	05-1380-R
P3	17	357 mm	05-0058-R
Q1	32	691 mm	05-1352-R
S2	14	287 mm	05-1120-R
S2	14	287 mm	05-1366-R

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

ULTRA DYNAMICS COLUMN (11)

S6	17	357 mm	05-0058-R
S6	17	357 mm	05-1380-R
S15	41	843 mm	05-1382-R
S30	41	843 mm	05-0001-R
S30	41	843 mm	05-1382-R

ULTRAVATION

LPPP0002	36	410 mm	05-0678
UVE1036	36	410 mm	05-0678

ULTRAVIOLET PURIFICATION

EP1S	41	843 mm	05-1016-R
EP1XS	21	436 mm	05-1370-R
EP8	41	843 mm	05-1343-R
EPI200	75	1554 mm	05-1338A-R
EPI20441	75	1554 mm	05-1018-R
L14UT4	21	436 mm	05-1370-R
L300040	41	843 mm	05-1343-R
L58PT-3LMC	75	1554 mm	05-0028-R
L58PT-8	75	1554 mm	05-0030-R
L58065	75	1554 mm	05-1338A-R
L58065-LPT-1/2	75	1554 mm	05-1515-R

USHIO

3000006	10	330 mm	05-0069
3000007	15	436 mm	05-1105-R
3000008	25	436 mm	05-1107-R
3000009	30	895 mm	05-1106-R
3000013	4	136 mm	05-1110-R
3000014	65	1554 mm	05-0441
3000015	6	212 mm	05-1109-R
3000016	8	288 mm	05-1108-R
3000022	3.5	63 mm	05-0002A
3000304	9	145 mm	05-0458
3000313	65	1554 mm	05-0440
3000321	5	83 mm	05-0469
3000324	18	220 mm	05-0323-R
3000339	36	410 mm	05-0678
3000351	65	1554 mm	05-0442
3000423	65	1554 mm	05-0443
G64T5L Coated Soft Glass	65	1554 mm	05-0440
G64T5L Quartz	65	1554 mm	05-0441
G64T5L/4 Coated Soft Glass	65	1554 mm	05-0442
G64T5L/4 Quartz	65	1554 mm	05-0443
GPL18K	18	220 mm	05-0323-R
GPL36K	36	410 mm	05-0678
GPX5	5	83 mm	05-0469
GPX9	9	145 mm	05-0458

UV DYNAMICS

42051	18	406 mm	05-0614
-------	----	--------	---------

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

UV PURE TECHNOLOGIES (HALLETT)

C300032	60	640 mm	05-0547
C300065	60	640 mm	05-0547
C300210	50	540 mm	05-0546
E300165	40	436 mm	05-0545
E300210	50	540 mm	05-0546
H300210	50	540 mm	05-0546
Hallett 13	40	436 mm	05-0545
Hallett 15xs	50	540 mm	05-0546
Hallett 30	60	640 mm	05-0547

UV TECHNOLOGIES (VIOTEC)

UV1400	32	762 mm	05-1520A
UV2400	32	762 mm	05-1520A

UV THE DISINFECTOR

GPM6	38	793 mm	05-0644
------	----	--------	---------

VICKS HUMIDIFIER

V-790	3.5	63 mm	05-0002A
-------	-----	-------	----------

WATER MASTER

8S	22	456 mm	05-0261-R
12	22	456 mm	05-0261-R
12S	38	793 mm	05-1116-R
15S	41	843 mm	05-1343-R
WG-5	30	895 mm	05-1106-R
WG-6D	17	357 mm	05-0329-R
WG-6S	17	357 mm	05-0329-R
WG-8D	22	456 mm	05-0261-R
WG-12D	38	793 mm	05-1116-R
WG-15D	41	843 mm	05-1343-R
WG535/2P	30	895 mm	05-1106-R
WG614L/2P	17	357 mm	05-0329-R
WG818L/2P	22	456 mm	05-0261-R
WG1231L/2P	38	793 mm	05-1116-R
WM-6	17	357 mm	05-1380-R
WM614L/4P	17	357 mm	05-1380-R

WATER TREATMENT & ACCESSORIES (NEPTUNE)

1000	17	357 mm	05-1380-R
1010	17	357 mm	05-1380-R
1020	17	357 mm	05-1380-R
1030	17	357 mm	05-1380-R
2000	17	357 mm	05-1380-R
2010	17	357 mm	05-1380-R
2020	17	357 mm	05-1380-R
2030	17	357 mm	05-1380-R
3000	22	450 mm	05-0011-R
3010	22	450 mm	05-0011-R
3020	22	450 mm	05-0011-R
3030	22	450 mm	05-0011-R
5000	39	810 mm	05-0176-R
5020	39	810 mm	05-0176-R
5030	39	810 mm	05-0176-R
TRI-8	22	450 mm	05-0010-R

WATTS

HSUV-SS-12-1	41	843 mm	05-1534-R
HSUV-SS-2-1	14	287 mm	05-1366-R
HSUV-SS-5-1	21	436 mm	05-1370-R
WUV Lamp 2	14	287 mm	05-1366-R
WUV Lamp 6	21	436 mm	05-1370-R
WUV12	41	843 mm	05-1534-R
WUVLamp 12	41	843 mm	05-1534-R

WEDECO CONTINUED ON PAGE 18

2581	150	881 mm	05-0585
25113	200	1200 mm	05-0627
25143	260	1500 mm	05-0628
40694	320	1512 mm	05-0586
IAP	16.5	325 mm	05-0500
IM	16.5	325 mm	05-0500
1845WS	40	525 mm	05-0501
7AP	84	875 mm	05-0502
7M	84	875 mm	05-0502
10AP	84	875 mm	05-0502
10M	84	875 mm	05-0502
32143/4P	187	985 mm	05-0629
32143HP	320	1512 mm	05-0588
AQ37085	16.5	325 mm	05-0500
AQ37086	40	525 mm	05-0501
AQ37087	84	875 mm	05-0502
Aquada 1	16.5	325 mm	05-0500
Aquada 2	40	525 mm	05-0501
Aquada 4	40	525 mm	05-0501
CHI-2	40	525 mm	05-0636
CHI-4	40	525 mm	05-0636
CHI-10	84	875 mm	05-0631
CHI-15	84	875 mm	05-0631
CHI-25	84	875 mm	05-0631
CHI-30	84	875 mm	05-0631
CHI-40	84	875 mm	05-0631
CHI-50	84	875 mm	05-0631
DLR1	16.5	325 mm	05-0500
DLR1A	16.5	325 mm	05-0500
DLR2	40	525 mm	05-0501
DLR4	40	525 mm	05-0501
DLR7	84	875 mm	05-0502
DLR10	84	875 mm	05-0502
GLI-2	40	525 mm	05-0636
GLI-4	40	525 mm	05-0636
GLI-10	84	875 mm	05-0631
GLI-15	84	875 mm	05-0631
GLI-25	84	875 mm	05-0631
GLI-30	84	875 mm	05-0631
GLI-40	84	875 mm	05-0631

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

WEDECO CONTINUED FROM PAGE 17

GLI-50	84	875 mm	05-0631
I40387	84	875 mm	05-0631
I40693	187	985 mm	05-0629
I40694	320	1512 mm	05-0586
I40718	40	525 mm	05-0636
I40720	84	875 mm	05-0710
IH40387	84	875 mm	05-0631
IV-25	21	436 mm	05-1097-R
LCP10	105	849 mm	05-0465
LCS7	105	849 mm	05-0465
NLR1825	16.5	325 mm	05-0500
NLR1845	40	525 mm	05-0501
NLR1880	84	875 mm	05-0502
SLR2581	150	881 mm	05-0585
SLR25113	200	1200 mm	05-0627
SLR25143	260	1500 mm	05-0628
SLR32143	260	1495 mm	05-0587
SLR32143HP	320	1512 mm	05-0588
TAK25	260	1500 mm	05-0628
TAK33	260	1495 mm	05-0587
TAK55 (SLR32143/4P)	260	1495 mm	05-0587
Uvi Flo 5000-62SS	105	849 mm	05-0465
Uvi Flo 5000-76SS	105	849 mm	05-0465
XLR5	40	525 mm	05-0636
XLR10	84	875 mm	05-0631
XLR-20	187	985 mm	05-0629
XLR30	320	1512 mm	05-0586

Equivalent Replacement Lamps Model No. / Part No	Lamp		Atlantic UV Part No.
	Watts *	Length	

WYCKOMAR

NSF12.5	42	893 mm	05-0570
NSF30/QD4E-U	57	1197 mm	05-0572
QD4E-U	42	893 mm	05-0570
RL-4/T5	13	254 mm	05-0567
RL-7/254 Cell	13	254 mm	05-0567
RL-40/867T5	41	867 mm	05-0569
RL-84/893T5	42	893 mm	05-0570
RL-100/1197T6	42	1197 mm	05-0571
RL-110/1197T5	57	1197 mm	05-0572
RL-250/T8	21	436 mm	05-0573
RL-1200/T5	42	893 mm	05-0570
RL-15/20/50/T5	57	1197 mm	05-0572
RL-15/20/50/T8	57	1197 mm	05-0568
RL-30/60/T6	42	1197 mm	05-0571
UV4	13	254 mm	05-0567
UV12.5	42	893 mm	05-0570
UV700	41	867 mm	05-0569
UV1200	42	893 mm	05-0570
UV1500	57	1197 mm	05-0572
UV1500/2	57	1197 mm	05-0568
UV2000	57	1197 mm	05-0572
UV2000/ 2 pin	57	1197 mm	05-0568
UV3000	42	1197 mm	05-0571
UV5000	57	1197 mm	05-0572
UV5000/ 2 pin	57	1197 mm	05-0568
UV5007	57	1197 mm	05-0572
UV5007/ 2 pin	57	1197 mm	05-0568
UV6000	42	1197 mm	05-0571

* **Approximate**
(Wattage is lamp watts only and does not include ballast loss.)